O P. E VOJO SINGER STRANGE STRANGE TRANGE TR

SEQUENCE LISTING

```
<110> Nardin, Elizabeth
            Moreno, Alberto
      <120>UNIVERSAL T-CELL EPITOPES FOR ANTI-MALARIAL VACCINES
      <130> 5986/1B615-US1
      <140> 09/060,450
      <141> 1998-01-21
      <150> 60/033,916
      <151> 1997-01-21
      <160> 11
      <170> FastSEQ for Windows Version 3.0
      <211> 12
      <212> PRT
      <213> P. falciparum
      <400> 1
Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro
                                     10
      <210> 2
      <211> 8
      <212> PRT
      <213> P. falciparum
      <400> 2
Asn Val Asp Pro Asn Ala Asn Pro
      <210> 3
      <211> 20
      <212> PRT
      <213> P. falciparum
      <400> 3
Glu Tyr Leu Asn Lys Ile Gln Asn Ser Leu Ser Thr Glu Trp Ser Pro
                                     10
                                                          15
Cys Ser Val Thr
            20
      <210> 4
      <211> 16
      <212> PRT
      <213> P. falciparum
      <400> 4
Asp Pro Asn Ala Asn Pro Asn Val Asp Pro Asn Ala Asn Pro Asn Val
                                     10
                                                          15
1
                 5
      <210> 5
      <211> 10
      <212> PRT
     <213> Artificial Sequence
      <220>
```

```
<223> Poly-alanine peptide containing DR 1, 4, 7 and 13
allele specific binding motifs for use as indicator peptide.
       <400> 5
 Gly Phe Lys Ala Ala Ala Ala Ala Ala
                  5
       <210> 6
       <211> 9
       <212> PRT
       <213> Artificial Sequence
       <220>
       <223> Poly-alanine peptide containing DR 3 allele specific
binding motifs for use as indicator peptides.
       <400> 6
.Ile Ala Tyr Asp Ala Ala Ala Ala Ala
       <210> 7
       <211> 10
       <212> PRT
       <213> Artificial Sequence
       <220>
       <223> Poly-alanine peptide containing DR 8 allele specific
binding motifs for use as indicator peptide.
       <400> 7
 Gly Tyr Arg Ala Ala Ala Ala Ala Leu
       <210> 8
       <211> 13
       <212> PRT
       <213> Artificial Sequence
       <220>
       <223> UD4 peptide containing DR 4 allele specific binding
motifs for use as indicator peptide.
       <400> 5
 Tyr Pro Lys Phe Val Lys Gln Asn Thr Leu Lys Ala Ala
                                     10
       <210> 9
       <211> 36
       <212> PRT
       <213> Artificial Sequence
       <220>
       <223> Fusion of Carboxyl Terminus of SEQ ID NO:4 to
             Amino Terminus of Seq ID NO: 3, designated T*T1
       <400> 9
 Glu Tyr Leu Asn Lys Ile Gln Asn Ser Leu Ser Thr Glu Trp Ser Pro
 Cys Ser Val Thr Asp Pro Asn Ala Asn Pro Asn Val Asp Pro Asn Ala
             20
                                 25
```

```
Asn Pro Asn Val
         35
       <210> 10
       <211> 28
       <212> PRT
       <213> Artificial Sequence
       <220>
       <223> Fusion of Carboxyl Terminus of SEQ ID NO:4 to
             Amino Terminus of Seq ID NO: 1, designated-T1B
       <400> 10
 Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asp Pro Asn Ala
                                     10
 Asn Pro Asn Val Asp Pro Asn Ala Asn Pro Asn Val
       <210> 11
       <211> 48
       <212> PRT
       <213> Artificial Sequence
       <223> Fusion of Amino Terminus of SEQ ID NO: 4 to
Carboxyl Terminus of SEQ ID NO: 3 with Concomitant Fusion of
Carboxyl Terminus of SEQ ID NO:4 to Amino Terminus of Seq ID NO:
1, designated T1BT*
       <400> 11
Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asp Pro Asn Ala
Asn Pro Asn Val Asp Pro Asn Ala Asn Pro Asn Val Glu Tyr Leu Asn
                                 25
 Lys Ile Gln Asn Ser Leu Ser Thr Glu Trp Ser Pro Cys Ser Val Thr
                             40
```